

American Brand with Global Reach

RESIDENTIAL COOLING SOLUTIONS Cooling only Cassette Type Unit

Model: UDZB/CB Series



PRODUCT Leaflet



 $\mathsf{Rely} \ \mathsf{On} \ \mathsf{Ruud}^{\scriptscriptstyle{\mathsf{M}}}$





RELY ON RUUD

Ø

TABLE OF CONTENTS

Торіс	Page
Core Technology	4-5
Panel Design	6
Nomenclature	7
Model Numbers	7
Technical Specifications	8



0

CORE TECHNOLOGY



Standard Features

Brand New Panel Design

Attractive design, which suits different requirements such as offices, shopping centers, restaurants, offices etc.



Ultra-thin Body Design

Ultra-thin body design, which starts from a height of only 230mm, saving installation space.



Four-way Airflow

Cold air reaches every corner of the room, providing a stable and comfortable environment. Uses two stepper motors to control four louvers.

Compact Design







Compact type

Standard type

b. new Louver

Compact type



Standard type





c. new Light panel for standard type




Standard type

Auto Swing







0


CORE TECHNOLOGY



Standard Features


Hydrophillic Fins

Hydrophilic aluminum fins increases heat-exchange efficiency and saves energy.



Water Pump


Built-in water pump so that water can head up to 800mm.



E-box


3

Integrated electric control box with galvanized steel built-in body is easy for maintenance.



Washable Filter

Easy and convenient installation and maintenance with a washable filter design.



PANEL DESIGN




RELY ON RUUD.

0

NOMENCLATURE

System:



MODEL NUMBERS

0

S No	System Model Numbers
1	UDZB-CTC018T02
2	UDCB-CTC024T02
3	UDCB-CTC036T02
4	UDCB-CTC048N02
5	UDCB-CTC060N02

RELY ON RUUD

TECHNICAL SPECIFICATIONS

			UDZB-CTC018T02	UDCB-CTC024T02	UDCB-CTC036T02	UDCB-CTC048N02	UDCB-CTC060N02
Power supply		V-Ph-Hz	220-240V/1Ph/50Hz	220-240V/1Ph/50Hz	220-240V/1Ph/50Hz	380-415V/3Ph/50Hz	380-415V/3Ph/50Hz
	Capacity	Btu/h	T1:16700/T3:15400	T1:25000/T3:22500	T1:30000/T3:28000	T1:42000/T3:38500	T1:45000/T3:40600
Cooling	Input	W	T1:1800/T3:2100	T1:2660/T3:3120	T1:3340/T3:3900	T1:4350/T3:5350	T1:4700/T3:5700
	Rated current	A	T1:8.3/T3:9.6	T1:13/T3:14.8	T1:16.1/T3:18.2	T1:7.7/T3:9.0	T1:8.2/T3:9.5
EER		W/W	T1:9.28/T3:7.33	T1:9.39/T3:7.21	T1:8.98/T3:7.17	T1:9.65/T3:7.19	T1:9.57/T3:7.12
	Dimension (W*H*D)	Body(mm)	580x260x580	840×230×840	840×285×840	840×285×840	840×285×840
		Panel(mm)	650×30×650	950×50×950	950×50×950	950×50×950	950×50×950
Indoor unit		Body (Kg)	16.5/22	24/29	28/33.5	30.5/36	30.5/36
		Panel (Kg)	2.7/4	5.4/8	5.4/8	5.4/8	5.4/8
Refrigerant type	•		R22	R22	R22	R22	R22
Compressor	Туре		Rotary	Rotary	Rotary	Scroll	Scroll
Outdoor unit	Dimension(W*H*D)	mm	910×608×345	930×700×370	1070×995×400	911×1335×400	911×1335×400
Outdoor unit	Net/Gross weight	kg	44/47	58/61	86/90	96/107	96/107
Defrigement piping	Max. pipe length	m	15	20	20	20	20
Refrigerant piping	Max. difference in level	m	8	10	10	10	10



RELY ON RUUD

Notes

Rely On Ruud

Notes

Rely On Ruud

Notes

Rely On Ruud



Why Ruud? American Brand with Global Reach, Dedicated to Quality & Innovation

Ruud is the only North American manufacturer delivering advanced, energy-efficient air and water solutions to homes and businesses in more than 70 countries worldwide. From its Atlanta Headquarters, three U.S. manufacturing facilities and Advanced Technology Integration (ATI) Lab along with its manufacturing, research and development centers all around the world, Ruud designs, builds and supplies some of the most reliable, environmentally responsible and high-performance products in the industry.

In the Middle East, Ruud has been present and its products are in service for over 30 years. In fact, the company has already installed more than one million ton of air-conditioning products.

Ruud products include (but not limited to):

- Full range of direct expansion Air-conditioning solutions such as Rooftop package units, ducted units, decorative splits.
- Advanced Integrated Air-conditioning, Heating & Water Heating energy saving and comfort systems such as H2AC and HumidiDry.
- Full range of water heating products including electric tank and tankless water heaters (electric and gas), boilers, heat-pump water heaters and solar powered water heating solutions.



For continuous product improvement, Ruud reserves the right to make changes to the product specifications without notice.